


Solifiore Floor Lamps



Effective February 2022. Voltage 120V / 240V. Recommended Colour Temperature: Warm White 3000K. Light Globe not included. Shade: blown-glass with colour finish. As King Living has a policy of continuous improvement, changes to products and specifications may be made without prior notice. Images and drawings are representative of design only. Accessories not included.

Solifiore Pendants

Protea Pendant Gymea Pendant Arum Pendant Shade: blown-glass Shade: blown-glass Shade: blown-glass with colour finish with colour finish with colour finish 300-2000 300-2000 300-2000 (11.25-78.75") (11.25-78.75") (11.25-78.75") 240 (9.5") 165 (6.5") 205 (8") Ø 330 (13") Ø 140 (5.5") Ø 250 (9.75")

Specifications Switch Dimming Functionality

Light Source E14 40W Max.

Shade Colours Olive Green; Smoke; Ochre Red; or Amber

Stem Black Nickel

Ceiling Fitting Black Nickel

Effective February 2022. Voltage 120V / 240V. Recommended Colour Temperature: Warm White 3000K. Light Globe not included. Shade: blown-glass with colour finish. Pendant must be installed and certified by a licensed electrical contractor. For warranty claims, an invoice including contractor's license number must be presented at time of request. As King Living has a policy of continuous improvement, changes to products and specifications may be made without prior notice. Images and drawings are representative of design only. Accessories not included.

